

## Liquids Diesel, B1 to B20 Bio-Diesel, Kerosene, Gasoline<sup>1</sup>, and E15

Power	Lift <sup>2</sup>	Flow Rate	Product	Description
		Up to 7 GPM	SD62	Pump, pail spout, and suction tube
No		Up to 10 GPM	FR110	Pump Only
140	3 feet or less		FR112	Pump, hose, spout, and steel suction tube
Dower			FR112C	Same as FR112 w/ counter
Power			FR113	Pump, pail spout, and steel suction tube
(Hand Operated Pumps)		Up to 20 GPM	FR150	Pump Only
			FR152	Pump, hose, spout, and steel suction tube
			FR151	Pump, pail spout, and steel suction tube

Power		Lift²	Flow Rate	Product	Description
			Up to 13 GPM	SD1202G	Hose, manual nozzle, PVC drop tube, battery cable
				SD1202GA	Same as SD1202G with automatic nozzle
			FR1204G Pump Only		Pump Only
			13 - 15 GPM	FR1210G FR1210GA FR1211G FR1211GL	Hose, manual nozzle, steel drop tube, battery cable FR1210G with automatic nozzle FR1210G with 3 digit <b>gallon</b> meter attached FR1210G with 3 digit <b>liter</b> meter attached
12 VDC				FR4204G	Pump Only
				FR4210G H	Hose, manual nozzle, steel drop tube, battery cable
			45 00 0014	FR4210GB	FR4210G with automatic nozzle
			15 - 20 GPM	FR4210GBFQ	FR4210GB w/ Filter kit
				FR4211G	FR4210G w/ 4 digit <b>gallon</b> meter attached
				FR4211GL	FR4210G w/ 4 digit <b>liter</b> meter attached
		8 - 12	20 - 25 GPM	FR3204	Pump Only
		feet		FR3210B	Pump, 1" x 18' Hose, Automatic Nozzle

Power	Lift <sup>2</sup>	Flow Rate	Product	Description
24 VDC	8 feet or less	Up to 15 GPM	FR2404G FR2410G FR2411G FR2411GL	Pump Only Hose, manual nozzle, steel drop tube, battery cable FR2410G with 3 digit <b>gallon</b> meter attached FR2410G with 3 digit <b>liter</b> meter attached
		15 - 20 GPM	FR4410G	Hose, manual nozzle, steel drop tube, battery cable

When pumping Gasoline, your lift should not exceed 10 feet. Exceeding 10 feet can lead to the pump not being able to lift the fuel out of the tank.

 $<sup>^{2}</sup>$  Altitude affects Lift. For every 1,000 feet (305 M) you go up, you lose 1' of lift.



Power		Lift <sup>2</sup>		Flow Rate	Product	Description
				Up to 13 GPM	SD602G	Hose, manual nozzle, PVC drop tube
				13 - 15 GPM	FR604G	Pump Only
					FR610G	Hose, manual nozzle, steel drop tube
					FR610GA	FR610G w/ automatic nozzle
		l í			FR700VN	Pump Only w/ 3/4" outlet
					FR700V	Hose and manual nozzle
					FR700VA	FR700V w/ automatic nozzle
					FR701V	FR700V w/ 3 digit gallon meter
		1 1			FR701VA	FR700V w/ 3 digit gallon meter and
						automatic nozzle
		8 -12 feet			FR701VL	FR700V w/ 3 digit <b>liter</b> meter
					FR710VN	Pump Only w/ 1" outlet
				15 - 20 GPM	FR710VB	FR710VN w/ hose and automatic nozzle
115	115 <= 8 feet				FR711VA	FR710VN w/ 4 digit gallon meter, hose,
113						and automatic nozzle
VAC					FR711VLA	FR710VN w/ 4 digit <b>liter</b> meter, hose, and
VAC						automatic nozzle
					FR702VRU	Cabinet Pump, w/ 3 digit gallon meter
			,			FR702VRU w/ 3 digit <b>liter</b> meter
					FR702VR FR300V*	FR702VRU w/ hose and nozzle Hose and manual nozzle
					FR310V*	Hose and manual nozzle
			12 - 1 <u>8</u> feet	25 - 30 GPM	FR310VB*	FR310V w/ automatic nozzle
					FR311V*	FR310V w/ 4 digit <b>gallon</b> meter
					FR311VB*	FR310V w/ 4 digit <b>gallon</b> meter and
				All Pumps in this		automatic nozzle
				section <b>CANNOT</b> be	FR311VL*	FR310V w/ 4 digit liter meter
				used with Gasoline	FR311VLB*	FR311VL w/ automatic nozzle
					FR319VB*	FR310V w/ 900D Digital meter and
						automatic nozzle
			_	<u>L</u>	FR319VBP*	FR319VB w/ 10:1 Pulse Output

Power	Lift <sup>2</sup>	Flow Rate Pro	oduct Description
		FR70 Up to 20 GPM FR70	DOVG Hose and manual nozzle  DIVG FR700VG w/ 3 digit gallon meter  DIVGL FR700VG w/ 3 digit liter meter  DIVGL Cabinet Pump, w/ 3 digit gallon meter  DOV* Hose and manual nozzle
230 VAC	<= 12 feet 12 - 18 feet	FR31 FR31 FR31 25 - 30 GPM FR31 All Pumps in this section CANNOT be FR31 used with Gasoline FR31 FR31	, 3

<sup>\*</sup> These pumps are equipped with a voltage select switch. They are set at the factory at 115 VAC. Customer can change to