




D168JPZ365 DRAWING DEPICTS 365JPZ ODP MOTOR




MOTOR DIMENSIONS										
1150 RPM NEMA JPZ FRAME 3 PHASE										
HP	TYPE	FRAME	D	E	F	O	AB	BG	L	MH
40	ODP	JPZ364	9.00	7.00	5.63	17.75	15.88	11.50	11.32	.66
50	ODP	JPZ365	9.00	7.00	5.63	17.75	15.88	12.00	11.82	.66
40	TEFC	JPZ364	9.00	7.00	6.13	18.13	16.81	12.00	14.69	.66
50	TEFC	JPZ365	9.00	7.00	6.13	18.13	16.81	12.00	14.69	.66

ALL DIMENSIONS IN INCHES.

DRAWING REPRESENTS APPROXIMATE PUMP DIMENSIONS. AUTOCAD DRAWING TO SCALE AVAILABLE FROM FACTORY.





Pump 168 • Iron • JPZ Frame • 1150 RPM



E168JPZ

KEY NO.	PART NAME	Pump No. 168
1+	CASE, IRON, 12 x 10 FLG	137.001.686X
2	IMPELLER, IRON w/Tefcote™, 2-1/8" KEYED, ENCLOSED, SPECIFY DIA:	
	13.4	137.001.687A
	13.0	137.001.687C
	12.5	137.001.687E
	11.8	137.001.687G
4	MOTOR	
	JPZ360/400	See Chart
24	NUT, TITANIUM	5773203-1.5
24A*	WASHER RETAINER, STAINLESS	137.001.710
25	WEAR RING, CASE	
	BRONZE	137.001.689
26*	STUD, TITANIUM	5773203-1.4
32*	KEY, STAINLESS	137.001.713
40*†	FLINGER, BRONZE	137.001.712X
69*	LOCKWASHER, STAINLESS	137.001.711
57	ELBOW, SUCTION, 12", IRON	137.001.715
71	ADAPTER, IRON	
	JPZ360/400	137.001.691
73*	GASKET, CASE, FIBER	137.001.690
73A	GASKET, FLANGE, GARLOCK	137.001.719
89*	2¾" SEALS:	
	TYPE 21, BN-CARB/CM	137.001.692
H40*	SET SCREWS, STEEL (2 REQ'D)	105.000.311
--	° REPAIR KITS:	
	BN-CARB/CM SEAL	118.000.622
* DENOTES COMPONENTS INCLUDED IN REPAIR KIT.		
+ INCLUDES BRONZE WEAR RING.		
† INCLUDES H40 SET SCREWS.		

Pump 168 • Iron • JPZ Frame • 1150 RPM



E168JPZ

CONSTRUCTION OPTIONS		
KEY	PART NAME	STANDARD FITTED
1	Case	Iron
2	Impeller, Teflon™ Coated	Iron
24	Nut	Titanium
24A	Washer	Stainless
25	Wear Ring, Case	Bronze
26	Stud	Titanium
32	Key	Stainless
40	Flinger	Bronze
57	Elbow Suction	Iron
69	Lockwasher	Stainless
71	Adapter	Iron
73	Gasket, Case	Fiber
73A	Gasket, Flange	Garlock
89	Mechanical Seal, Type 21 BN-CM	Standard
H	Plug	Brass
H40	Set Screw	Steel w/Nylok Insert

Motor shaft is 316 stainless steel

C4

C1681150JPZ