

SCOT
ARDOX




FRAMEPUMP™ — VARIABLE SPEED

5/8" SHAFT, 2 X 2 X 4.38 NPT

HYT 200SP



HYD B

3278



ALL DIMENSIONS IN INCHES

Performance based on 1.0 S.G.
Liquid at 4000 RPM Based on 7
GPM Oil Flow at 1000 – 1500 PSI



074438-A

D074FPF1180438


074438H

061HYT200

HYT 200SP

HYD B 81.002.192 L15

HYT 200SP • Iron • HYD B



KEY NO.	PART NAME	HYT 200SP
1	CASE, IRON, 2 x 2 NPT	130.000.239X
2	IMPELLER, 5/8" KEYED, SEMI-OPEN, 4.38" DIAMETER: IRON	131.000.561
4	HYDRAULIC MOTOR	102.000.228
14*	SHAFT SLEEVE	110.000.137
26*	IMPELLER RETAINER	118.000.136
38*	O-RING, SHAFT	116.000.145B
73*	GASKET, CASE	116.000.141
89*	3/4" SEALS: TYPE 6, VN-CARB/CM	101.000.115
	BERAING FRAME ASS'Y CONSISTING OF:	HYD B 118.000.438X
6+	SHAFT, ASS'Y	135.000.206X
16*	BEARING	103.000.158
18*	BEARING	103.000.163
19	FRAME	110.000.294
32*+	KEY	102.000.102
46+	KEY	102.000.236
53	BASE	119.000.231A
71	ADPATER	132.000.256
--	REPAIR KITS: VN-CARB/CM SEAL	118.000.350

* DENOTES COMPONENTS INCLUDED IN REPAIR KIT.


+ DENOTES COMPONENTS INCLUDED IN SHAFT ASSEMBLY.

E074FPF1180438

L15

P074438-A

HYT 200SP • Iron • HYD B



CONSTRUCTION OPTIONS		
KEY NO.	PART NAME	HYT 200SP
1	Case	Iron
2	Impeller	Iron
6	Shaft, Ass'y	Steel
14	Shaft, Ass'y	Stainless
19	Frame	Iron
26	Impeller Retainer	Stainless
32	Key	Stainless
46	Key	Stainless
73	Gasket, Case	BUNA
89	Mechanical Seal, Type 6 VN-CARB/CM	Standard
53	Base	Steel
H	Plug, Drain	Plated Steel

E074FPF1180438

L15

C074438-A