





A WILO COMPANY


FRAMEPUMP™ — Variable Speed

316SS, 7/8" Shaft, 3 X 3 X 5.63 NPT

PSP 25S
F1180549



Parts



Key	Part Name	Part Number
1	Case 15S/25S, 316SS, 3.0 X 3.0 NPT with SS plugs	130.000.336X
2	Impeller 25S, 316SS, Specify Dia., 5.62" Max, 7/8 Key	137.000.869
6+^	Shaft ass'y, 316SS, 7/8" Straight, Includes keys	137.000.779X
11	Seal plate, 316SS, 1-1/4" Double seal	137.000.780
14*	Shaft sleeve, 316SS	137.000.782
16^	Bearing, Double sealed, #206	103.000.146
18^	Bearing, Double sealed, #205 Double wide	103.000.150
19^	Pedestal, Iron	132.000.237
193^	Retainer, Bearing	110.000.244
26*	Impeller retaining assembly, 316SS	118.000.111C
32*+	Key, 316SS	102.000.218
38*	O-ring, Shaft, Viton	116.000.193
40*	Flinger, Rubber	104.000.107
46	Key, Steel	102.000.130
73*	Gasket, Case, Viton	116.000.150
73A*	Gasket, Seal plate, Viton	116.000.144
83	Backplate, 316SS, 1-1/4" Double seal	137.000.781
89*	Seal, 1-1/4" Type 21, VN-CARB/CM 316SS, Double	101.000.210E
F1	Hose barb, 3/8"	106.000.323
F2	Hose, buna, 3/8"	108.000.160A
F3	Hose clamp, 3/8"	106.000.370
	Bearing Frame Ass'y Consisting of:	F1180549 118.000.549X
6+	Shaft ass'y, 316SS, 7/8" Straight, Pressureseal	137.000.779X
16	Bearing, Double sealed, #206	103.000.146
18	Bearing, Double sealed, #205 Double wide	103.000.150
19	Pedestal, Iron	132.000.237
32*+	Key, 316SS	102.000.218
46	Key, Steel	102.000.130
193	Retainer, Bearing, Steel	102.000.130
H	RETAINER	110.000.244
KIT	Repair kit, 1-1/4" VN-CARB\CM Double seal, 316SS	118.000.563


Key	Part Name	Part Number
	Tank Ass'y Consisting of:	118.000.236
T1	Gauge, Pressure tank	102.000.212
T2	Air valve	106.000.120
T3	Plug, O-ring	106.000.322
T4	Nut, Plated steel	105.000.196
T5	Lock washer, Steel	104.000.121
T6	Gasket, Flange, Buna	116.000.152
T7	Stud, Steel	105.000.322
T8	Guard, Pressure tank	119.000.314
T9	Flange, Iron, Bottom	136.000.166
T10	Tube, Acrylic	108.000.159
T11	Flange, Iron, Top	136.000.165

* Denotes components included in repair kit

+ Denotes components included with shaft assembly

^ Denotes components included with frame assembly

Construction Options



Construction Options		
Key	Part Name	Stainless Fitted
1	Case	316SS
2	Impeller	316SS
6	Shaft, Assembly	316SS
11	Seal Plate	316SS
14	Shaft Sleeve	316SS
19	Frame	Iron
26	Impeller Retainer	316SS
32	Key	316SS
38	O-ring, Shaft	Viton
40	Flinger	Rubber
46	Key	Steel
73	Gasket, Case	Viton
73A	Gasket, Plate	Viton
83	Backplate	316SS
89	Mech Seal, Double, Type 21, VN-CARB\CM	Standard
193	Retainer	Steel
H	Plug, Drain	316SS