



FRAMEPUMP™ — VARIABLE SPEED



7/8" SHAFT, 2 X 2 X 5.50 NPT

SSD 517

F1180443



ALL DIMENSIONS IN INCHES



D017SFPF1180443
017s443


017VS

017S443-A
81.001.844 M19

SSD 517
F1180443

SSD 517 • 316SS • 7/8" Shaft • F1180443

E017SFP 1180443.dwg



UN 6/25/23

KEY NO.	PART NAME	FPD 517
1	CASE, 316SS, 2 x 2 NPT	130.000.265X
2	IMPELLER, 7/8" KEYED, ENCLOSED, 5.50" DIAMETER: 316SS	131.000.660
14*	SHAFT SLEEVE, STAINLESS	135.000.187
26*	IMPELLER RETAINER, STAINLESS	118.000.111C
38*	O-RING, SHAFT, VITON	116.000.193
40*	FLINGER	104.000.107
73*	GASKET, CASE, VITON	116.000.150
83	BACKPLATE, 316SS	132.000.224
89*	1 1/4" SEAL: TYPE 21, VN-CARB/CM	101.000.194A
	BEARING FRAME ASS'Y CONSISTING OF:	F1180443 118.000.443X
6+	SHAFT, ASS'Y	135.000.203X
16	BEARING	103.000.146
18	BEARING	103.000.150
19	FRAME	132.000.237
32*+	KEY	102.000.218
46+	KEY	102.000.130
193	RETAINER	110.000.244
--	REPAIR KITS: VN-CARB/CM SEAL	118.000.528

* DENOTES COMPONENTS INCLUDED IN REPAIR KIT.


+ DENOTES COMPONENTS INCLUDED WITH SHAFT ASSEMBLY

E017SFP118443

H15

P017S443-A

SSD 517 • 316SS • 7/8" Shaft • F1180443



CONSTRUCTION OPTIONS		
KEY NO.	PART NAME	316SS
1	Case	316SS
2	Impeller	316SS
6	Shaft, Ass'y	316SS
14	Shaft Sleeve	316SS
19	Frame	Iron
26	Impeller Retainer	Stainless
32	Key	Stainless
38	O-ring, Shaft	Viton
40	Flinger	Rubber
46	Key	Steel
73	Gasket, Case	Viton
83	Backplate	316SS
89	Mechanical Seal, Type 21 VN-CARB/CM	Standard
193	Retainer	Steel

E017SFP1180421

J15

C017S443-A