


MAG DRIVE GEAR PUMPS

OBERDORFER CHEMSTEEL




RSM103, RSM104, RSM106 Series



OBERDORFER CHEMSTEEL




SM207, SM210, SM214 Series



OBERDORFER CHEMSTEEL




SM417 Series



OBERDORFER CHEMSTEEL



SM923, SM930, SM935, SM946 Series



UP TO 2.7 GPM, 110 PSI

- 316SS or Hastelloy® bodies
- Gears available in 316SS, W88 Stainless, Hastelloy® C, Ryton®, Teflon® or PEEK
- Carbon, Teflon® or Rulon bearings
- Sealless design; Neodymium Iron or Samarium Cobalt magnet options
- Positively lubricated center support bearing
- Mounts directly to NEMA or IEC-C face motors

CONTENTS

INDEX

NEXT

BACK

HOME

UP TO 8.2 GPM, 110 PSI

- 316SS or Hastelloy® bodies
- Gears available in 316SS, W88 Stainless, Hastelloy® C, Ryton®, Teflon® or PEEK
- Carbon, Teflon® or Rulon bearings
- Sealless design; Neodymium Iron or Samarium Cobalt magnet options
- Positively lubricated center support bearing
- Mounts directly to NEMA or IEC-C face motors

UP TO 10.5 GPM, 110 PSI

- 316SS or Hastelloy® bodies
- Gears available in 316SS, W88 Stainless, Hastelloy® C, Ryton®, Teflon® or PEEK
- Carbon, Teflon® or Rulon bearings
- Sealless design; Neodymium Iron or Samarium Cobalt magnet options
- Positively lubricated center support bearing
- Mounts directly to NEMA or IEC-C face motors

UP TO 29 GPM, 110 PSI

- 316SS or Hastelloy® bodies
- Gears available in 316SS, W88 Stainless, Hastelloy® C, Ryton®, Teflon® or PEEK
- Carbon, Teflon® or Rulon bearings
- Sealless design; Neodymium Iron or Samarium Cobalt magnet options
- Positively lubricated center support bearing
- Mounts directly to NEMA or IEC-C face motors