


# MULTI-STAGE CENTRIFUGALS

## PRICE



Multi-Stage MS-50 Series




## UP TO 20 GPM, 380' TDH

- Temperature to 300°F
- Multi-stage enclosed impellers
- Construction: 316SS
- Elastomer Options: Viton®, EPR, Neoprene, Teflon®, silicon carbide, double seal, flush and quench
- Drive Options: pedestal, hydraulic, pneumatic, AC and DC voltages and multiple enclosures

## GOULDS WATER TECHNOLOGY



Multi-Stage GB Series




## UP TO 52 GPM, 600' TDH

- Temperatures to 160°F
- Cast iron or 304SS construction
- Several mechanical seal options
- Will pick up to a 10' suction lift with foot valve
- Single phase standard, three phase optional

## GOULDS WATER TECHNOLOGY



Multi-Stage HMS Series




## UP TO 38 GPM, 239' TDH

- Temperatures to 230°F
- All 316SS construction
- Several motor options
- Hydraulically balanced floating impellers
- Compact, close coupled design
- Great for booster, filtration, reverse osmosis and spray services

## GOULDS WATER TECHNOLOGY



Multi-Stage LC Series



## UP TO 95 GPM, 205' TDH

- Temperatures to 220°F
- Fabricated 304SS construction
- Several mechanical seal options
- Single and three phase, 50/60 hz motors
- Single and three phase motors — ODP and TEFC
- Compact, close coupled design