





Item No.	Qty. per unit	Description	Part No.	Part No.
Version according to exploded view				
No. 520 80 011 – 11/2010				
1	1	Threaded pin	900 87 001	
2	1	Coupling (motor side)	620 14 002	
3	1	Coupling insert	620 14 004	
4	1	Coupling (pump side)	520 20 056	
5	1	Cylindrical pin	914 83 002	
6	1	Grooved ball bearing	923 10 001	
7	4	Cylindrical screw	900 85 003	
8	1	Bearing flange	520 14 001	
9	4	Spring washer	909 95 002	
10	4	Cylindrical screw	900 95 020	
11	1	Union nut	907 90 001	
12	1	Centring flange	520 24 001	
13	1	Sliding ring gasket complete (FKM)	958 25 020	
14	1	Threaded pin	900 87 002	
15	1	Set collar with item 14	918 39 001	
16	1	Shaft		
		Immersion length 700 mm	520 14 107	
		Immersion length 1000 mm	520 14 110	
		Immersion length 1200 mm	520 14 112	
17	1	Pin	914 74 005	
18	1	Screw	520 14 014	
19	1	Hexagonal nut	907 15 001	
20	1	Outer tube		
		Immersion length 700 mm	520 24 003	
		Immersion length 1000 mm	520 24 004	
		Immersion length 1200 mm	520 24 024	
21	1	Bearing	920 81 004	
22	1	Bottom piece with item 21	520 24 031	
Accessories:				
	1	Hose connection complete DN 25, item 23-25	959 04 002	
23	1	Seal (PE)	925 79 002	
24	1	Hose connector DN 25	959 05 005	
25	1	Nut for hose connector G 1 1/2	907 90 065	



Item No.	Qty. per unit	Description	Part No.	Part No.
		Version according to exploded view No. 520 80 011 – 11/2010		
		<i>optional</i>		
	1	Hose connection complete DN 32, item 23-25	959 04 003	
23	1	Seal (PE)	925 79 002	
24	1	Hose connector DN 32	959 05 006	
25	1	Nut for hose connector G 1 1/2	907 90 065	
		<i>optional</i>		
	1	Hose connection complete DN 38, item 23-25	959 04 004	
23	1	Seal (PE)	925 79 002	
24	1	Hose connector DN 38	959 05 007	
25	1	Nut for hose connector G 1 1/2	907 90 065	