





Item No.	Qty. per unit	Description	Part No. RFML 15 PP	Part No. RFML 15 PTFE
Version according to exploded view No. D15 80 004 – 05/2011 valid as from Serial No. RFM00900				
1	8	Hexagonal nut	906 91 004	906 91 004
2	8	Spring washer	909 95 002	909 95 002
4	2	Support plate for pump housing	D15 70 063	D15 70 063
5	8	Insert for pump housing	D15 70 016	D15 70 016
6	2	Pump housing	D15 74 057	D15 74 058
7	2	Diaphragm (NBR) <i>optional</i>	D15 70 035	D15 70 035
		Diaphragm (PTFE/EPDM) <i>optional</i>	D15 74 036	D15 74 036
		Diaphragm (EPDM) <i>optional</i>	D15 70 037	D15 70 037
		Diaphragm (FKM)	D15 70 038	D15 70 038
8	1	Bearing kit with o-rings (item 8.1 – 8.3)	D10 70 200	D10 70 200
8.1	2	Rod seal (PTFE/NBR)	925 39 018	925 39 018
8.2	2	Bearing	D10 70 021	D10 70 021
8.3	4	O-ring Ø30 x 3 (NBR)	925 65 048	925 65 048
9	4	Tension rod	D15 70 112	D15 70 112
10	1	Selector shaft	D15 70 019	D15 70 019
11	2	Silencer	947 15 006	947 15 006
13	4	Ball (NBR) <i>optional</i>	D15 74 001	D15 74 001
		Ball (PTFE) <i>optional</i>	D15 74 003	D15 74 003
		Ball (EPDM) <i>optional</i>	D15 74 004	D15 74 004
		Ball (FKM)	D15 74 002	D15 74 002
14	4	O-ring Ø30 x 3 (NBR) <i>optional</i>	925 65 048	925 65 048
		O-ring Ø30 x 3 (FFKM) <i>optional</i>	925 65 057	925 65 057
		O-ring Ø30 x 3 (EPDM) <i>optional</i>	925 65 029	925 65 029
		O-ring Ø30 x 3 (FKM)	925 65 014	925 65 014
15	4	Ball cage	D15 74 052	D15 74 052
16	1	Manifold, discharge side	D15 74 141	D15 74 142
17	4	Support plate for manifold	D15 74 064	D15 74 064

Attention: Please always give full description, part no. and quantity of parts required.

This list
consists of
3 pages

FLUX-GERÄTE GMBH D-75433 Maulbronn

Rights reserved to
make alterations
and/or modifications



Item No.	Qty. per unit	Description	Part No. RFML 15 PP	Part No. RFML 15 PTFE
		Version according to exploded view No. D15 80 004 – 05/2011 valid as from Serial No. RFM00900		
19	16	Spring washer	909 85 004	909 85 004
20	8	Hexagonal screw	900 81 017	900 81 017
21	1	Air valve part	D15 70 102	D15 70 102
22	1	5/2-way control valve c/w item 22.1, 22.2 and 22.3	D10 70 104	D10 70 104
22.1	1	Profile sealing (NBR)	925 89 012	925 89 012
22.2	4	Spring washer	909 75 002	909 75 002
22.3	4	Cylindric screw	900 75 029	900 75 029
24	1	Manifold, suction side c/w item 32	D15 74 145	D15 74 148
25	2	Pedestal	D15 74 077	D15 74 077
27	8	Hexagonal screw	900 81 007	900 81 007
30	4	Ball seat	D15 74 076	D15 74 076
31	4	O-ring Ø24 x 2,5 (NBR) <i>optional</i>	925 45 015	925 45 015
		O-ring Ø24 x 2,5 (FEP) <i>optional</i>	925 45 023	925 45 023
		O-ring Ø24 x 2,5 (EPDM) <i>optional</i>	925 45 017	925 45 017
		O-ring Ø24 x 2,5 (FKM)	925 45 016	925 45 016
32	1	Equipotential bonding (connecting parts)	947 12 020	947 12 020
33	8	Hexagonal cap	947 05 056	947 05 056
34	2	Stop ring	D15 74 092	D15 74 092

Attention: Please always give full description, part no. and quantity of parts required.

This list
consists of
3 pages

FLUX-GERÄTE GMBH D-75433 Maulbronn

Rights reserved to
make alterations
and/or modifications