



Products with safety and security in mind

5", 7", and 8" Chrome RCL Lights
146 SL Remote Control Lights
135 SL Remote Control Lights

**Change work area
lighting without leaving
the equipment cab
with a remote
controlled light.**

Features:

- **Finger tip control of light from within vehicle cab**
- **Up to 370° horizontal sweep and 65° motion**
- **Powered by long life motors equipped with non-overloading clutching mechanism**
- **Brightness to 15 lux at 300 feet**



Remote Control Searchlights

5", 7" & 8" Remote Control Searchlights

Jabco's 5, 7 and 8 inch searchlights are constructed of solid brass with a polished chrome finish providing an attractive as well as effective light source. Designed for handling severe conditions, these lights are built for long lasting reliable service.

The completely motorized drive unit is enclosed in light housing. Our exclusive Clutch-A-Matic feature protects the drive unit against overload and allows light to be operated for extended periods against limit stops without harm. Light head can be moved manually without damage.

The watertight control features a fingertip control lever for 370° horizontal sweep and 65° vertical motion, and dual speed switch for precise beam control in conjunction with on/off switch for spot or flood beam.

The 62022-4002 model has a zinc base and a polished chrome finish. All light models include watertight control. The 5" models include a separate 8 ft. wiring cable with plug connectors on each end. The 7" and 8" models include 9 ft. of wiring cable from light base with plug connector on one end. Secondary control panel No. 43670-0004 is optional. Additional cable assembly may be required for installation of secondary control.



62026-Series, 62040-Series & 62042-Series



62022-5" only

TECHNICAL DATA

MODEL	DIA.	HEIGHT	VOLTS	AMPS	CANDLEPOWER		WT lb (kg)
					SPOT/FLOOD		
62022-4002	5"	7-1/8" (180 mm)	12 Vdc	8.4	100,000/50,000		7(3,2)
62026-4002	5"	9-1/8" (235 mm)	12 Vdc	8.4	100,000/50,000		7.5(3,4)
62040-4002	7"	13" (330 mm)	12 Vdc	8.4	200,000/50,000		9(4,1)
62040-4006	7"	13" (330 mm)	24 Vdc	7.0	230,000		9(4,1)
62042-4002	8"	14-5/16" (363 mm)	12 Vdc	20.8	500,000		11(5)
62042-4006	8"	14-5/16" (363 mm)	24 Vdc	7.8	500,000		11(5)

ACCESSORIES

43670-0004	12 Volt Dual Station Control Kit
18753-0335	24 Volt Dual Station Control Kit
43990-0013	10' Wiring Cable Assembly
43990-0014	15' Wiring Cable Assembly
43990-0015	25' Wiring Cable Assembly
43990-0016	35' Wiring Cable Assembly

Remote Control Switch



43670-0001

- Watertight design
- Attractive style complements any instrument panel
- Built-in fuse and plug connectors for easy wiring
- Two speed control for precise beam aiming

Remote Control Searchlights

146 SL Motorized Remote Control Searchlight

A New Generation of mid-size searchlights. Sleekly styled and ruggedly constructed!

CANDLEPOWER

- The total output over the entire beam spread.

LUX

- The brightness at a point within the beam spread.

From the above definitions, it is clear that the most important feature in choosing a searchlight is the Lux value. Therefore, searchlights with the highest Lux value put more usable light on the target.




60080-0012 & 60080-0024

The 146 SL's sealed-beam halogen bulb with a 15 Lux value, and 175,000 candlepower, produces the dusk-to-dawn piercing light. It includes a 15' cable assembly with easy plug-in connections. The searchlight's housing is a corrosion resistant thermoplastic.

And the 146 SL gives more on-target light



- FULL 360° ROTATION
- 60° VERTICAL SWEEP



Remote Control Switch



Use the optional **DUAL STATION CONTROL KIT** to create additional convenience. Attractive style complements any instrument panel, and built-in fuse and plug connectors make wiring easy.

TECHNICAL DATA

MODEL NUMBER	VOLTS	AMPS	BULB
60080-0012	12 Vdc	4	SPOT
60080-0024	24 Vdc	2	SPOT

DUAL STATION KIT


43670-0004 12 Volt & 24 Volt

Remote Control Searchlights

135 SL Remote Control Searchlight

A stylish and very practical addition to any vehicle ...at a surprisingly affordable price!

Jabsco's remote-control 135 SL rectangular spotlight harmonizes with the modern sleek look of the 90's. So it will enhance the appearance of any emergency vehicle, construction equipment and agricultural machinery.



60020-0000 & 60020-0024

Tough weather and corrosion resistant white thermoplastic construction. Sealed-beam halogen bulb produces dusk-to-dawn piercing light. Integrally molded clutch design allows the light to be operated against limit stops, without damage. The light has a 15' cable attached that splices to the leads on the switch.

Remote Control Switch



Easy-fit black control is designed to complement instrument panels or fit in any location.

Has fused On/Off switch and four-way directional switch.

Technical Data

MODEL	VOLTS	BULB	WATT	AMPS	CANDLEPOWER
60020-0000	12 Vdc	18753-0178	50	3.6	100,000
60020-0024	24 Vac.	18753-0178	50	2	100,000
43670-0005	<i>Dual Station Control Kit</i>				
43990-0017	<i>10' Wiring Cable Assembly</i>				