




5C-MD
FULL SIZE IMPELLER
(2.875" DIA.)

MOTOR: FASCO
0150-0005-1100
115V. 60HZ.
SINGLE PHASE

HEAD IN FEET






AC-5C-MD
FULL SIZE IMPELLER
(2.875" DIA.)

MOTOR: FASCO
0150-0027-1000
115V. 60HZ.

HEAD IN FEET






AC-5C-MD-AM

**FULL SIZE IMPELLER
(2.875" DIA.)**

**MOTOR: GAST AIR
MOTOR
0986-0002-1000
60 PSI OF AIR
7 CFM
2954 RPM AT OPEN
FLOW & 0 HEAD**

HEAD IN FEET






TE-5C/5K-MD

MOTOR: BALDOR
 0150-0090-1300
 230V. 60HZ.
 SINGLE PHASE

HEAD IN FEET



SPECIFIC GRAVITY CHART

SP. GR.	TRIM IMP. TO
1.0 - 1.1	FULL SIZE 2.875
1.1 - 1.3	.2625
1.3 - 1.5	.2500
1.5 - 1.7	.2375
1.7 - 1.9	.2250
1.9 - 2.0	.2125






TE-5C/5K-MD

**FULL SIZE IMPELLER
(2.875" DIA.)**

**MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE**

HEAD IN FEET






TE-5C/5K-MD

TRIM IMPELLER
(2.625" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET






TE-5C/5K-MD

TRIM IMPELLER
(2.500" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET






TE-5C/5K-MD

TRIM IMPELLER
(2.375" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET






TE-5C/5K-MD
TRIM IMPELLER
(2.250" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET






TE-5C/5K-MD

TRIM IMPELLER
(2.125" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET





TE-5S-MD
FULL SIZE IMPELLER
(2.875" DIA.)

MOTOR: BALDOR
0150-0090-1300
230V. 60HZ.
SINGLE PHASE

HEAD IN FEET

