




TE-6T/6K-MD

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE

HEAD IN FEET



SPECIFIC GRAVITY CHART

SP. GR.	TRIM IMP. TO
1.0 - 1.1	FULL SIZE 3.500
1.1 - 1.3	3.250
1.3 - 1.5	3.125
1.5 - 1.7	3.000
1.7 - 1.9	2.875
1.9 - 2.0	2.750







TE-6T/6K-MD

FULL SIZE IMPELLER
(3.500" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE

% EFF.
HEAD IN FEET






TE-6T/6K-MD

TRIM IMPELLER
(3.250" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE

% EFF.
HEAD IN FEET



H.P.	N.P.S.H.R. FEET
.6	5
.5	4
.4	3
.3	2
.2	1







TE-6T/6K-MD

TRIM IMPELLER
(3.125" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE






TE-6T/6K-MD


TRIM IMPELLER
(3.000" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE

% EFF.
HEAD IN FEET



H.P.	N.P.S.H.R. FEET
.5	5
.4	4
.3	3
.2	2
.1	1







TE-6T/6K-MD

TRIM IMPELLER
(2.875" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE





TE-6T/6K-MD

TRIM IMPELLER
(2.750" DIA.)

MOTOR: MARATHON
0153-0020-1100
230V. 60HZ.
3 PHASE

